

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	12054353	router with autheticat\$5 @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:34
L3	0	router with autheticat\$5 and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:34
L4	367	router with authenticat\$5 and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:52
L5	6	hello same router with authenticat\$5 and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:37
L6	7	certificate same router with authenticat\$5 and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:45
L7	1	("5,745,701").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/10 11:39
L8	1	ssl with router with authenticat\$5 and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:42
L9	3	ssl same router with authenticat\$5 and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:42
L10	17	certificate same SWITCH with authenticat\$5 and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:47
L11	6	hello same router with authenticat\$5 and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 12:41
L12	106	hello same router and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:49
L13	878	gateway with authenticat\$5 and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:52

L14	112	certificate with gateway with authenticat\$5 and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:55
L15	0	hello with gateway with authenticat\$5 and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 11:55
L16	119	certificate adj signature with public adj key and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 12:41
L17	9	certificate adj authority same certificate adj signature with public adj key and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 12:48
L18	49	verify same signature same decrypt same hash same compare and @ad<"20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 12:48
L19	86	manufacturer same issue with key and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 14:45
L20	27	"713"/\$.ccls. and manufacturer same issue with key and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 14:47
L21	9	"713"/\$.ccls. and manufacturer with install with key and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 14:48
L22	1	"713"/\$.ccls. and manufacturer with install with certificate same sign\$6 and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 14:50
L23	2	manufacturer with install with certificate same sign\$6 and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 15:11
L24	211	certificate adj authority\$3 same private adj key same signature and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 15:12
L25	38	hash same certificate adj authority\$3 same private adj key same signature and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 15:24

L26	0	"02001148697"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 15:25
L27	1	webster.in. and "manufacturer certificate"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 15:26
S1	38	(switch router firewall) same hash same authenticat\$5 and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 11:43
S2	51	(switch router firewall) with port with authenticat\$5 and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 12:11
S3	1	(switch router firewall) with hello with authenticat\$5 and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 12:12
S4	151	(switch router firewall) with hello and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 12:12
S5	0	713/169.ccls. and (switch router firewall) with hello and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 12:26
S6	151	(switch router firewall) with hello and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 12:22
S7	1	(switch router firewall) with hello with authenticat\$5 and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/10 14:43
S8	1	(switch router firewall) with hello with authent\$9 and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 12:22
S9	0	(switch router firewall) with hello with hash and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 12:22
S10	54	713/169.ccls. and (switch router firewall) and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 12:36

S11	36	713/169.ccls. and (node) and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 13:02
S12	75	713/169.ccls. and hash and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 13:02
S13	30	713/169.ccls. and hash same random and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 13:14
S14	13	"713"/\$.ccls. and random with nonce with authenticat\$5 and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 13:17
S15	36	"713"/\$.ccls. and CA with sign\$3 with certificate with authenticat\$5 and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 13:23
S16	23091	"713"/\$.ccls. alice same bob same certificate adj authority and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 13:24
S17	17	"713"/\$.ccls. and alice same bob same certificate adj authority and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 13:27
S18	283	"713"/\$.ccls. and public adj key with certificate adj authority and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 13:27
S19	120	"713"/\$.ccls. and authenticat\$5 same public adj key with certificate adj authority and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/09 15:21